Author Index

Anderson, K.	Limitations in the use of median frequency for lung sound analysis	265–275
Anglin, C.	Review of arm motion analyses	541–555
Anglin, C.	Glenohumeral contact forces	637–644
Anissian, L.	Ultra-low wear rates for rigid-on-rigid bearings in total hip replacements	331–347
Arnold, M. A.	Assessment of the non-linear behaviour of plastic ankle foot orthoses by the finite element method	527–539
Ash, H. E.	Design of a surface replacement prosthesis for the proximal interphalangeal joint	151–163
Ash, H. E.	Long-term results for Kinemax and Kinematic knee bearings on a six-station knee wear simulator	437–447
Aspenberg, A.	Friction in orthopaedic zirconia taper assemblies	685–692
Asundi, A.	Stress distribution in the dento-alveolar system using digital photoelasticity	659–667
Barbour, P. S. M.	A hip joint simulator study using new and physiologically scratched femoral heads with ultra-high molecular weight polyethylene acetabular cups	569–576
Barton, D. C.	Comparison of gas plasma and gamma irradiation in air sterilization on the delamination wear of the ultra-high molecular weight polyethylene used in knee replacements	249–255
Bell, J.	Influence of gelatin and bovine serum lubricants on ultra-high molecular weight polyethylene wear debris generated in *in vitro* simulations	513–518
Besong, A. A.	Influence of gelatin and bovine serum lubricants on ultra-high molecular weight polyethylene wear debris generated in *in vitro* simulations	513–518
Bibb, R.	An investigation of three-dimensional scanning of human body surfaces and its use in the design and manufacture of prostheses	589–594
Bocca, A.	An investigation of three-dimensional scanning of human body surfaces and its use in the design and manufacture of prostheses	589–594
Bolger, C. M.	Design of an occipito-cervical fixation device	401–411
Bom, N.	Studies of cardiac function and myocardinal tissue characterization	141–149
Bouazza-Marouf, K.	Robotic-assisted internal fixation of hip fractures: a fluoroscopy-based intraoperative registration technique	165–179
Bouazza-Marouf, K.	Evaluation of bone strength: correlation between measurements of bone mineral density and drilling force	385–399
Brian, M. W.	Design of spinous process hooks for flexible fixation of the lumbar spine	479–487
Browbank, I.	Robotic-assisted internal fixation of hip fractures: a fluoroscopy-based intraoperative registration technique	165–179
Brown, R.	An investigation of three-dimensional scanning of human body surfaces and its use in the design and manufacture of prostheses	589–594
Burgess, I. C.	Long-term results for Kinemax and Kinematic knee bearings on a six-station knee wear simulator	437–447
Busch, C. A.	Radiographic assessment of the cement mantle thickness of the femoral stem in total hip replacement: a case study of 112 consecutive implants	471–477
Carlsson, L. V.	Friction in orthopaedic zirconia taper assemblies	685–692
Carr, A. J.	The relationship between surface topography and contact in the elbow joint: development of a two-dimensional geometrical model in the coronal plane	413–423
Carter, R.	Limitations in the use of median frequency for lung sound analysis	265–275
Chua, C. K.	Determination of the major dimensions of femoral implants using morphometrical data and principal component analysis	301–309
Clarke, I. C.	Ultra-low wear rates for rigid-on-rigid bearings in total hip replacements	331–347
Crocombe, A. D.	Finite element analysis of bone stress and strain around a distal osseointegrated implant for prosthetic limb attachment	595–602
Davies, B.	A review of robotics in surgery	129–140
Deans, W. F.	Design of spinous process hooks for flexible fixation of the lumbar spine	479–487
Deans, W. F.	Mechanical testing of a flexible fixation device for the lumbar spine	489–495
Donaldson, N.	Experiments with CHRELMS patient-driven stimulator controllers for the restoration of function to paralysed legs	1–20
Dowson, D.	A comparative joint simulator study of the wear of metal-on-metal and alternative material combinations in hip replacements	39–47

© IMechE 2000

Drabu, K. J.	Radiographic assessment of the cement mangle thickness of the femoral stem in total hip replacement: a case study of 112 consecutive implants	471–477
Dunne, N. J.	Development of a computer model to predict pressure generation around hip replacement stems	645–658
Egan, J. M.	A viscoelastic analysis of the tensile weakening of deep femoral head articular cartilage	239–247
Egan, J.	Investigation into the tribological condition of acetabular tissue after bipolar joint replacement hip surgery	361–370
Evans, P.	An investigation of three-dimensional scanning of human body surfaces and its use in the design and manufacture of prostheses	589–594
Ewins, D. J.	The development of a long, dual-platform triaxial walkway for the measurement of forces and temporal–spatial data in the clinical assessment of gait	193–201
Farrar, R.	Analysis and modelling of wear of cobalt–chrome alloys in a pin-on-plate test for a metal-on-metal total hip replacement	559–568
Firkins, P.	Analysis and modelling of wear of cobalt–chrome alloys in a pin-on-plate test for a metal-on-metal total hip replacement	559–568
Fish, P. J.	Characterization of vortices using pulsed-wave Doppler ultrasound	677–684
Fisher, J.	Biological reactions to wear debris in total joint replacement	21–37
Fisher, J.	Comparison of gas plasma and gamma irradiation in air sterilization on the delamination wear of the ultra-high molecular weight polyethylene used in knee replacements	249–255
Fisher, J.	Investigation into the tribological condition of acetabular tissue after bipolar joint replacement hip surgery	361–370
Fisher, J.	Influence of gelatin and bovine serum lubricants on ultra-high molecular weight polyethylene wear debris generated in *in vitro* simulations	513–518
Fisher, J.	Analysis and modelling of wear of cobalt–chrome alloys in a pin-on-plate test for a metal-on-metal total hip replacement	559–568
Fisher, J.	A hip joint simulator study using new and physiologically scratched femoral heads with ultra-high molecular weight polyethylene acetabular cups	569–576
FitzPatrick, D. P.	Comparison of gas plasma and gamma irradiation in air sterilization on the delamination wear of the ultra-high molecular weight polyethylene used in knee replacements	249–255
Freeman, P.	An investigation of three-dimensional scanning of human body surfaces and its use in the design and manufacture of prostheses	589–594
Fujita, H.	Development of artificial articular cartilage	59–68
Gardner, D. L.	Anisotropic response of the human knee joint meniscus to unconfined compression	631–635
Gaupp, S.	Characterization of vortices using pulsed-wave Doppler ultrasound	677–684
Goldsmith, A. A. J.	A comparative joint simulator study of the wear of metal-on-metal and alternative material combinations in hip replacements	39–47
Good, V.	Ultra-low wear rates for rigid-on-rigid bearings in total hip replacements	331–347
Gustafson, G.	Ultra-low wear rates for rigid-on-rigid bearings in total hip replacements	331–347
Hallett, J.	Investigation into the tribological condition of acetabular tissue after bipolar joint replacement hip surgery	361–370
Han, Y.	A study on dental vacuum system losses	203–212
Han, Y.	Performance tests of vacuum pumps in small and large dental facilities	213–229
Harrison, A. J.	A moment-based technique for the automatic spatial alignment of plantar pressure data	257–264
Hasenkam, J. M.	A new method for quantitative evaluation of perceived sounds from mechanical heart valve prostheses	121–128
Heaton, A.	Design of spinous process hooks for flexible fixation of the lumbar spine	479–487
Higaki, H.	Adsorption control of synovia constituents on artificial joint materials by means of an electric field: evaluation of tribological characteristics	181–192
Hillard, P. J.	A moment-based technique for the automatic spatial alignment of plantar pressure data	257–264
Hillery, M.	The design and testing of a composite lower limb prosthesis	603–614
Hills, B. A.	Boundary lubrication *in vivo*	83–94
Holstein, H.	The variation in the orientations and moment arms of the knee extensor and flexor muscle tendons with increasing muscle force: a mathematical analysis	277–286
How, T. V.	Characterization of vortices using pulsed-wave Doppler ultrasound	677–684
Hübsch, P.	Numerical investigation of fixed orthodontic brackets	311–323
Hughes, S. C.	The development of a long, dual-platform triaxial walkway for the measurement of forces and temporal–spatial data in the clinical assessment of gait	193–201
Hughes, S. C.	Finite element analysis of bone stress and strain around a distal osseointegrated implant for prosthetic limb attachment	595–602
Hukins, D. W. L.	Development of surgical instruments for implanting a flexible device for the lumbar spine	325–328
Hukins, D. W. L.	Design of an occipito-cervical fixation device	401–411
Hukins, D. W. L.	Design of spinous process hooks for flexible fixation of the lumbar spine	479–487

© IMechE 2000

Hukins, D. W. L.	Mechanical testing of a flexible fixation device for the lumbar spine	489–495
Huss, R. A.	The variation in the orientations and moment arms of the knee extensor and flexor muscle tendons with increasing muscle force: a mathematical analysis	277–286
Hynd, D.	The development of a long, dual-platform triaxial walkway for the measurement of forces and temporal–spatial data in the clinical assessment of gait	193–201
Hyon, S. H.	Development of artificial articular cartilage	59–68
Ikeuchi, K.	Development of artificial articular cartilage	59–68
Imran, A.	The variation in the orientations and moment arms of the knee extensor and flexor muscle tendons with increasing muscle force: a mathematical analysis	277–286
Ingham, E.	Biological reactions to wear debris in total joint replacement	21–37
Ingham, E.	Investigation into the tribological condition of acetabular tissue after bipolar joint replacement hip surgery	361–370
Ingham, E.	Influence of gelatin and bovine serum lubricants on ultra-high molecular weight polyethylene wear debris generated in *in vitro* simulations	513–518
Isaac, G. H.	A comparative joint simulator study of the wear of metal-on-metal and alternative material combinations in hip replacements	39–47
Isaac, G. H.	Radiographic assessment of the cement mantle thickness of the femoral stem in total hip replacement: a case study of 112 consecutive implants	471–477
Jacobsson, C. M.	Friction in orthopaedic zirconia taper assemblies	685–692
Jin, Z. M.	A general axisymmetric contact mechanics model for layered surfaces, with particular reference to artificial hip joint replacements	425–435
Jin, Z. M.	Analysis and modelling of wear of cobalt–chrome alloys in a pin-on-plate test for a metal-on-metal total hip replacement	559–568
Johansen, P.	A new method for quantitative evaluation of perceived sounds from mechanical heart valve prostheses	121–128
Jones, M. L.	Numerical investigation of fixed orthodontic brackets	311–323
Joyce, T. J.	The design of a finger wear simulator and preliminary results	519–526
Kasprzak, J. D.	Studies of cardiac function and myocardinal tissue characterization	141–149
Kavanagh, A. G.	Wear of utlra-high molecular weight polyethylene (UHMWPE) in total knee prostheses: a review of key influences	349–359
Kellomäki, M.	Pliable polylactide plates for guided bone regeneration: manufacturing and *in vitro*	615–629
Khọo, L. P.	Determination of the major dimensions of femoral inplants using morphometrical data and principal component analysis	301–309
Kishen, A.	Stress distribution in the dento-alveolar system using digital photoelasticity	659–667
Knox, J.	Numerical investigation of fixed orthodontic brackets	311–323
Kralj, B.	Numerical investigation of fixed orthodontic brackets	311–323
Kuijpers-Jagtman, A. M.	Time-dependent mechanical behaviour of the periodontal ligament	497–504
Kumar, P.	Development of artificial articular cartilage	59–68
Lancaster, J. G.	A comparative joint simulator study of the wear of metal-on-metal and alternative material combinations in hip replacements	39–47
Lawlor, G. J.	The relationship between surface topography and contact in the elbow joint: development of a two-dimensional geometrical model in the coronal plane	413–423
Leahy, J. C.	Development of surgical instruments for implanting a flexible device for the lumbar spine	325–328
Leahy, J. C.	Design of an occipito-cervical fixation device	401–411
Leahy, J. C.	Design of spinous process hooks for flexible fixation of the lumbar spine	479–487
Leahy, L. C.	Mechanical testing of a flexible fixation device for the lumbar spine	489–495
Leslie, B. W.	Anisotropic response of the human knee joint meniscus to unconfined compression	631–635
Lo, N. N.	Determination of the major dimensions of femoral inplants using morphometrical data and principal component analysis	301–309
Low, F. H.	Determination of the major dimensions of femoral inplants using morphometrical data and principal component analysis	301–309
Lucas, M.	Limitations in the use of median frequency for lung sound analysis	265–275
McCormack, B. A. O.	The relationship between surface topography and contact in the elbow joint: development of a two-dimensional geometrical model in the coronal plane	413–423
Macdonald, W.	Friction in orthopaedic zirconia taper assemblies	685–692
McGeough, J. A.	Anisotropic response of the human knee joint meniscus to unconfined compression	631–635
McGloughlin, T. M.	Wear of ultra-high molecular weight polyethylene (UHMWPE) in total knee prostheses: a review of key influences	349–359
Mackey, T. G.	Evaluation of four blood pump geometries: the optical tracer technique	371–383
Maffullli, N.	External ring fixators: an overview	459–470
Maltha, J. C.	Time-dependent mechanical behaviour of the periodontal ligament	497–504
Martin, W.	Evaluation of four blood pump geometries: the optical tracer technique	371–383

© IMechE 2000

Mathias, K. J.	Development of surgical instruments for implanting a flexible device for the lumbar spine	325–328
Mathias, K. J.	Design of an occipito-cervical fixation device	401–411
Mathias, K. J.	External ring fixators: an overview	459–470
Mathias, K. J.	Design of spinous process hooks for flexible fixation of the lumbar spine	479–487
Mathias, K. J.	Mechanical testing of a flexible fixation device for the lumbar spine	489–495
Meimoun, Y.	Biomechanical simulation of an amputated forearm with and without a prosthesis	287–299
Middleton, J.	Numerical investigation of fixed orthodontic brackets	311–323
Mizrahi, J.	Biomechanical simulation of an amputated forearm with and without a prosthesis	287–299
Moorcroft, C. I.	A device for improved reduction of tibial fractures treated with external fixation	449–457
Moran, R. S.	Anisotropic response of the human knee joint meniscus to unconfined compression	631–635
Moutsoglou, A.	A study on dental vacuum system losses	203–212
Moutsoglou, A.	Performance tests of vacuum pumps in small and large dental facilities	213–229
Murakami, T.	Adsorption control of synovia constituents on artificial joint materials by means of an electric field: evaluation of tribological characteristics	181–192
Nakamura, T.	Development of artificial articular cartilage	59–68
Nakanishi, Y.	Adsorption control of synovia constituents on artificial joint materials by means of an electric field: evaluation of tribological characteristics	181–192
Nayagam, S.	The effects of different wire and screw combinations on the stiffness of a hybrid external fixator	669–676
Nerem, R. M.	Tissue engineering: confronting the transplantation crisis	95–99
Ng, E. Y. K.	Parametric optimization for tumour identification: bioheat equation using ANOVA and the Taguchi method	505–512
Nosir, Y. F. M.	Studies of cardiac function and myocardinal tissue characterization	141–149
Nygaard, H.	A new method for quantitative evaluation of perceived sounds from mechanical heart valve prostheses	121–128
O'Connor, J. J.	The variation in the orientations and moment arms of the knee extensor and flexor muscle tendons with increasing muscle force: a mathematical analysis	277–286
Ogrodnik, P. J.	A device for improved reduction of tibial fractures treated with external fixation	449–457
Oka, M.	Development of artificial articular cartilage	59–68
Ong, F. R.	Evaluation of bone strength: correlation between measurements of bone mineral density and drilling force	385–399
Oonishi, H.	Ultra-low wear rates for rigid-on-rigid bearings in total hip replacements	331–347
Orr, J. F.	Development of a computer model to predict pressure generation around hip replacement stems	645–658
Paasimaa, S.	Pliable polylactide plates for guided bone regeneration: manufacturing and *in vitro*	615–629
Paulsen, P. K.	A new method for quantitative evaluation of perceived sounds from mechanical heart valve prostheses	121–128
Pichora, D. R.	Glenohumeral contact forces	637–644
Pickard, J.	Investigation into the tribological condition of acetabular tissue after bipolar joint replacement hip surgery	361–370
Pietrabissa, R.	A method for the evaluation of the change in volume of retrieved acetabular cups	577–587
Raimondi, M. T.	A method for the evaluation of the change in volume of retrieved acetabular cups	577–587
Rassoulian, H.	Assessment of the non-linear behaviour of plastic ankle foot orthoses by the finite element method	527–539
Reeves, E. A.	Comparison of gas plasma and gamma irradiation in air sterilization on the delamination wear of the ultra-high molecular weight polyethylene used in knee replacements	249–255
Riis, C.	A new method for quantitative evaluation of perceived sounds from mechanical heart valve prostheses	121–128
Rose, M. L. J.	Evaluation of four blood pump geometries: the optical tracer technique	371–383
Saleh, M.	The effects of different wire and screw combinations on the stiffness of a hybrid external fixator	669–676
Sassi, R.	A method for the evaluation of the change in volume of retrieved acetabular cups	577–587
Sathasivam, S.	Design forms of total knee replacement	101–119
Schnabler, J.	Robotic-assisted internal fixation of hip fractures: a fluoroscopy-based intraoperative registration technique	165–179
Scholes, S. C.	Comparison of friction and lubrication of different hip prostheses	49–57
Schroeder, D.	Ultra-low wear rates for rigid-on-rigid bearings in total hip replacements	331–347
Schuldies, J.	Ultra-low wear rates for rigid-on-rigid bearings in total hip replacements	331–347
Shepherd, D. E. T.	Development of surgical instruments for implanting a flexible device for the lumbar spine	325–328
Shepherd, D. E. T.	Design of an occipito-cervical fixation device	401–411
Shepherd, D. E. T.	Design of spinous process hooks for flexible fixation of the lumbar spine	479–487
Shepherd, D. E. T.	Mechanical testing of a flexible fixation device for the lumbar spine	489–495

© IMechE 2000

Shetty, V.	Radiographic assessment of the cement mantle thickness of the femoral stem in total hip replacement: a case study of 112 consecutive implants	471–477
Smith, S. L.	Simplified motion and loading compared to physiological motion and loading in a hip joint simulator	233–238
Stark, A.	Ultra-low wear rates for rigid-on-rigid bearings on total hip replacements	331–347
Stevenson, E. C.	Development of surgical instruments for implanting a flexible device for the lumbar spine	325–328
Stone, M. H.	Influence of gelatin and bovine serum lubricants on ultra-high molecular weight polyethylene wear debris generated in *in vitro* simulations	513–518
Stone, M. H.	A hip joint simulator study using new and physiologically scratched femoral heads with ultra-high molecular weight polyethylene acetabular cups	569–576
Strike, S.	The design and testing of a composite lower limb prosthesis	603–614
Strozzi, A.	Analytical modelling of the elastomeric layer in soft layer hip replacements	69–81
Sudharsan, N. M.	Parametric optimization for tumour identification: bioheat equation using ANOVA and the Taguchi method	505–512
Sugar, A.	An investigation of three-dimensional scanning of human body surfaces and its use in the design and manufacture of prostheses	589–594
Syngellakis, S.	Assessment of the non-linear behaviour of plastic ankle foot orthoses by the finite element method	527–539
Thomas, P. B. M.	A device for improved reduction of tibial fractures treated with external fixation	449–457
Tipper, J. L.	Influence of gelatin and bovine serum lubricants on ultra-high molecular weight polyethylene wear debris generated in *in vitro* simulations	513–518
Törmälä, P.	Pliable polylactide plates for guided bone regeneration: manufacturing and *in vitro*	615–629
Unsworth, A.	Comparison of friction and lubrication of different hip prostheses	49–57
Unsworth, A.	Design of a surface replacement prosthesis for the proximal interphalangeal joint	151–163
Unsworth, A.	Simplified motion and loading compared to physiological motion and loading in a hip joint simulator	233–238
Unsworth, A.	Long-term results for Kinemax and Kinematic knee bearings on a six-station knee wear simulator	437–447
Unsworth, A.	The design of a finger wear simulator and preliminary results	519–526
Ushio, K.	Development of artificial articular cartilage	59–68
van der Steen, A. F. W.	Studies of cardiac function and myocardinal tissue characterization	141–149
van Driel, W. D.	Time-dependent mechanical behaviour of the periodontal ligament	497–504
van Leeuwen, E. J.	Time-dependent mechanical behaviour of the periodontal ligament	497–504
Verborg, S. A.	A device for improved reduction of tibial fractures treated with external fixation	449–457
Von den Hoff, J. W.	Time-dependent mechanical behaviour of the periodontal ligament	497–504
Waide, D. V.	The relationship between surface topography and contact in the elbow joint: development of a two-dimensional geometrical model in the coronal plane	413–423
Walker, P. S.	Design forms of total knee replacement	101–119
Wang, Y.	Characterization of vortices using pulsed-wave Doppler ultrasound	677–684
Wardlaw, D.	Development of surgical instruments for implanting a flexible device for the lumbar spine	325–328
Wardlaw, D.	Design of spinous process hooks for flexible fixation of the lumbar spine	479–487
Watson, M. A.	External ring fixators: an overview	459–470
Weng, Y.	Performance tests of vacuum pumps in small and large dental facilities	213–229
Wheatley, D. J.	Evaluation of four blood pump geometries: the optical tracer technique	371–383
Whittaker, A. R.	Limitations in the use of median frequency for lung sound analysis	265–275
Williams, P.	Ultra-low wear rates for rigid-on-rigid bearings in total hip replacements	331–347
Wroblewski, B. M.	Influence of gelatin and bovine serum lubricants on ultra-high molecular weight polyethylene wear debris generated in *in vitro* simulations	513–518
Wyss, U. P.	Review of arm motion analyses	541–555
Wyss, U. P.	Glenohumeral contact forces	637–644
Xu, W.	Finite element analysis of bone stress and strain around a distal osseointegrated implant for prosthetic limb attachment	595–602
Yang, L.	The effects of different wire and screw combinations on the stiffness of a hybrid external fixator	669–676
Yu, C.-h.	Experiments with CHRELMS patient-driven stimulator controllers for the restoration of function to paralysed legs	1–20

© IMechE 2000